

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Lacq Garden furniture Oil

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Paints and varnishes

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Vliegenthart B.V. Zuiderhavenweg 42 4000 HH Tiel - Gelderland - Netherlands Phone: +31 344 633336 info@vliegenthart.com

1.4 Emergency telephone number: +31 (0) 344 633336

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

Non-applicable

Supplementary information:

EUH208: Contains Turpentine, oil. May produce an allergic reaction.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture based on hydrocarbons and additives

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | | Chemical name/Classification | | | |
|-------------------------|--|--|---|-------------------|-------------|--|
| CAS: | Non-applicable | 2-(4-methylcyclohex-3-en-1-yl)propan-2-ol ¹ Self-classified | | | | |
| EC: Index: REACH: | 701-188-3 Non-applicable 01-2119553062-49- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning | ¢ | 1 - <3 % | |
| CAS: 8006-64-2 | | Turpentine, oil 1 | S | Self-classified | | |
| EC: Index: REACH: | 932-349-8 Non-applicable 01-2119553060-53- XXXX | Regulation 1272/2008 | Acute Tox. 4: H302+H312+H332; Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger | > <u>()</u> () () | 0,15 - <1 % | |

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.



SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:



SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

it is recommended to avoid environmental spillage of both the product and its container

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

| Minimum Temp.: | 5 °C |
|----------------|-----------|
| Maximum Temp.: | 30 °C |
| Maximum time: | 24 Months |

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | Occupational exposure limits | | | | |
|-----------------------------|------------------------------|--------|-----------------------|--|--|
| 2-butoxyethanol | IOELV (8h) | 20 ppm | 98 mg/m ³ | | |
| CAS: 111-76-2 EC: 203-905-0 | IOELV (STEL) | 50 ppm | 246 mg/m ³ | | |



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

DNEL (Workers):

| | | Short e | exposure | Long e | exposure |
|---|------------|----------------|----------------|------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| 2-(4-methylcyclohex-3-en-1-yl)propan-2-ol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: Non-applicable | Dermal | Non-applicable | Non-applicable | 6,36 mg/kg | Non-applicable |
| EC: 701-188-3 | Inhalation | Non-applicable | Non-applicable | 44,8 mg/m ³ | Non-applicable |
| Turpentine, oil | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 8006-64-2 | Dermal | Non-applicable | Non-applicable | 0,84 mg/kg | Non-applicable |
| EC: 932-349-8 | Inhalation | Non-applicable | Non-applicable | 2,96 mg/m ³ | Non-applicable |

DNEL (General population):

| | | Short e | xposure | Long e | xposure |
|---|------------|----------------|----------------|-------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| 2-(4-methylcyclohex-3-en-1-yl)propan-2-ol | Oral | Non-applicable | Non-applicable | 2,69 mg/kg | Non-applicable |
| CAS: Non-applicable | Dermal | Non-applicable | Non-applicable | 2,69 mg/kg | Non-applicable |
| EC: 701-188-3 | Inhalation | Non-applicable | Non-applicable | 7,96 mg/m ³ | Non-applicable |
| Turpentine, oil | Oral | Non-applicable | Non-applicable | 0,3 mg/kg | Non-applicable |
| CAS: 8006-64-2 | Dermal | Non-applicable | Non-applicable | 0,3 mg/kg | Non-applicable |
| EC: 932-349-8 | Inhalation | Non-applicable | Non-applicable | 0,522 mg/m ³ | Non-applicable |

PNEC:

| Identification | | | | |
|---|--------------|----------------|-------------------------|--------------|
| 2-(4-methylcyclohex-3-en-1-yl)propan-2-ol | STP | 2,57 mg/L | Fresh water | 0,012 mg/L |
| CAS: Non-applicable | Soil | 0,045 mg/kg | Marine water | 0,0012 mg/L |
| EC: 701-188-3 | Intermittent | 0,12 mg/L | Sediment (Fresh water) | 0,263 mg/kg |
| | Oral | 0,0166 g/kg | Sediment (Marine water) | 0,026 mg/kg |
| Turpentine, oil | STP | 6,6 mg/L | Fresh water | 0,0088 mg/L |
| CAS: 8006-64-2 | Soil | 0,45 mg/kg | Marine water | 0,00088 mg/L |
| EC: 932-349-8 | Intermittent | Non-applicable | Sediment (Fresh water) | 2,27 mg/kg |
| | Oral | 0,00135 g/kg | Sediment (Marine water) | 0,227 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|------------------------------|--|-----------|--------------|---|
| Mandatory hand protection | Protective gloves against minor risks | CATI | | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|------------------------------|--|-----------|---------------------------------|---|
| Mandatory face protection | Panoramic glasses against splash/projections. | CAT II | EN 166:2002 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |



| | Pictogram | | PPE | Labelling | | CEN Standard | | Remarks |
|------|-----------------|----------|-----------------|-----------------------------------|---|------------------|----------------|---|
| | | w | ork clothing | CATI | | | perio recom | ce before any evidence of deterioration. ds of prolonged exposure to the product professional/industrial users CE III is imended, in accordance with the regulati ISO 6529:2013, EN ISO 6530:2005, EN I 13688:2013, EN 464:1994. |
| | | Anti- | slip work shoes | CAT II | E | N ISO 20347:2012 | perio recom | ce before any evidence of deterioration. I ds of prolonged exposure to the product professional/industrial users CE III is imended, in accordance with the regulati EN ISO 20345:2012 y EN 13832-1:2007 |
| F Ad | ditional emerge | ency mea | asures | • | | | | |
| | Emergency mea | isure | SI | tandards | | Emergency measu | lre | Standards |
| | Emergency sho | ower | | SI Z358-1 111, ISO 3864-4:2011 | L | Eyewash station | | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

| V.O.C. (Supply): | 0,76 % weight |
|---------------------------|-----------------------|
| V.O.C. density at 25 °C: | 7,12 kg/m³ (7,12 g/L) |
| Average carbon number: | 10,24 |
| Average molecular weight: | 134,38 g/mol |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

| Appearance: | |
|--|---------------------------------|
| Physical state at 20 °C: | Liquid |
| Appearance: | Viscous |
| Colour: | Amber |
| Odour: | Characteristic |
| Odour threshold: | Non-applicable * |
| Volatility: | |
| Boiling point at atmospheric pressure: | >150 °C |
| Vapour pressure at 25 °C: | 230 Pa |
| Vapour pressure at 50 °C: | 1128,7 Pa (1,13 kPa) |
| Evaporation rate at 25 °C: | Non-applicable * |
| Product description: | |
| Density at 25 °C: | 935,9 kg/m³ |
| Relative density at 25 °C: | 0,936 |
| Dynamic viscosity at 25 °C: | Non-applicable * |
| Kinematic viscosity at 25 °C: | Non-applicable * |
| Kinematic viscosity at 40 °C: | >20,5 mm²/s |
| *Not relevant due to the nature of the product, not providing inform | nation property of its hazards. |
| | |



| SEC | TION 9: PHYSICAL AND CHEMICAL PROPERTIE | ES (continued) |
|-----|--|-----------------------------------|
| | Concentration: | Non-applicable * |
| | pH: | Non-applicable * |
| | Vapour density at 25 °C: | Non-applicable * |
| | Partition coefficient n-octanol/water 25 °C: | Non-applicable * |
| | Solubility in water at 25 °C: | Non-applicable * |
| | Solubility properties: | Non-applicable * |
| | Decomposition temperature: | Non-applicable * |
| | Melting point/freezing point: | Non-applicable * |
| | Flammability: | |
| | Flash Point: | Non Flammable (>60 °C) |
| | Flammability (solid, gas): | Non-applicable * |
| | Autoignition temperature: | >250 °C |
| | Lower flammability limit: | Non-applicable * |
| | Upper flammability limit: | Non-applicable * |
| | Particle characteristics: | |
| | Median equivalent diameter: | Non-applicable |
| 9.2 | Other information: | |
| | Information with regard to physical hazard cla | sses: |
| | Explosive properties: | Non-applicable * |
| | Oxidising properties: | Non-applicable * |
| | Corrosive to metals: | Non-applicable * |
| | Heat of combustion: | Non-applicable * |
| | Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |
| | Other safety characteristics: | |
| | Surface tension at 25 °C: | Non-applicable * |
| | Refraction index: | Non-applicable * |
| | *Not relevant due to the nature of the product, not providing info | ormation property of its hazards. |

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable | Not applicable | Precaution | Precaution | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: 2-butoxyethanol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as
- dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acut | Genus | |
|-----------------|-----------------|---------------|-----|
| Turpentine, oil | LD50 oral | 5760 mg/kg | Rat |
| CAS: 8006-64-2 | LD50 dermal | 1100 mg/kg | Rat |
| EC: 932-349-8 | LC50 inhalation | 12 mg/L (6 h) | Rat |



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

| Identification | Concentration | | Species | Genus |
|-----------------|---------------|---------------------|---------|------------|
| Turpentine, oil | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| CAS: 8006-64-2 | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| EC: 932-349-8 | EC50 | >1 - 10 mg/L (72 h) | | Algae |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | Degradability | | Biodegradability | |
|-----------------|---------------|----------------|------------------|---------|
| Turpentine, oil | BOD5 | Non-applicable | Concentration | 20 mg/L |
| CAS: 8006-64-2 | COD | Non-applicable | Period | 28 days |
| EC: 932-349-8 | BOD5/COD | Non-applicable | % Biodegradable | 52 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccumulation potential | |
|-----------------|---------------------------|------|
| Turpentine, oil | BCF | 407 |
| CAS: 8006-64-2 | Pow Log | 4.38 |
| EC: 932-349-8 | Potential | High |

12.4 Mobility in soil:

| Identification | Absorption/desorption | | Volatility | |
|-----------------|-----------------------|----------------|------------|----------------|
| Turpentine, oil | Кос | 2184 | Henry | Non-applicable |
| CAS: 8006-64-2 | Conclusion | Low | Dry soil | Non-applicable |
| EC: 932-349-8 | Surface tension | Non-applicable | Moist soil | Non-applicable |

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) | | | |
|---|-------------|---|--|--|--|
| 08 01 12 waste paint and varnish other than those mentioned in 08 01 11 Non dangerous | | | | | |
| Type of waste (Regulation (EU) No 1357/2014): | | | | | |
| Non-applicable | | | | | |
| Waste management (disposal and evaluation): | | | | | |



SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



Lacq Garden furniture Oil

SECTION 16: OTHER INFORMATION (continued) Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction. **Classification procedure:** Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.